

## PELVIC FLOOR QUESTIONNAIRE

Name	Age	e: Weigh	t:		
Occupation	Employer		Hours worked per week		
What are your	symptoms?				
When did symp	toms start? (Onset Date)Surgery	Date	Where did you have surgery?		
Cause of sympt	oms?				
Since onset, you	ır symptoms are: 🗌 Worse 🗎 Same 🔲 Bette	er Prior to this or	nset, were you symptom free?		
What increases your symptoms?					
What decreases	your symptoms?				
	r current pain (circle): (No pain)  0 1 2 3	(Moderate)	(Worst pain imaginable) 5 7 8 9 10		
Daily Activities	: Home/Leisure Limitations				
	Self-Care Limitations				
	Do you exercise? How often?	Type _			
Do you have an Medical History	y allergies?y:				
	story (Females Only)				
Yes No	Births: vaginal # c-section #	Yes No	Menopause - When?		
Yes No	Difficult childbirth	Yes No	Pelvic/genital pain		
Yes No	Vaginal dryness	Yes No	Hysterectomy		
Yes No					
Yes No					
Yes No	Painful Menstruation				
Comments:					
Males Only	7				
Yes No	Prostate disorders	Yes No	Erectile Dysfunction		
Yes No	Shy bladder	Yes No	Painful Ejaculation		
Yes No	Pelvic/genital pain	Yes No	Hernia – Where?		
Comments:					
Bladder Sy	mptoms				
Yes No	Trouble initiating urine stream	Yes No	Dribbling after urination		
☐Yes ☐No	Urine intermittent/slow stream	Yes No	Constant urine leakage		
Yes No	Strain or push to empty bladder	Yes No	Trouble feeling bladder urge/fullness		
Yes No	Need to urinate with little warning	Yes No	Recurrent bladder infections		
Yes No	Trouble emptying bladder completely Yes No Painful urination				
Yes No	Blood in urine	☐Yes ☐No	Volume passedsmallmedlarge		
Comments:					

Urinary Habits				
Frequency of urination: Everyminutes; Everyhours;times per day;times per night				
On average, how much do you leak? None Just a few drops Wet underwear Wet the floor Soaked				
Can you delay before you go to toilet? minutes (# of minutes) hours (# of hours) Not at all				
Bladder leakage: # of episodes: None without awareness with exertion/cough with urge				
times/day;times/week;times/month  What form of protection do you wear? None				
Minimal protection (toilet paper/pantishield)				
Moderate protection (absorbent product/maxipad)				
Maximum protection (specialty product/diaper)				
On average, how many pad changes are required during daytime?(#of pads) at night?(#of				
pads)				
Are they damp wet soaked Average fluid intake (1glass = 8 oz)# glasses/day				
Of this total how many glasses are: Caffeinated?# glasses/day Fruit drinks?#				
glasses/day				
Alcoholic?# glasses/day				
Comments:				
Bowel History				
Yes No Blood in bowel movement (BM) Yes No Trouble emptying bowel completely				
Yes No Painful BM Yes No Need to support/splint to complete BM				
Yes No Trouble feeling bowel urge Yes No Constipation/straining% of time				
Yes No Trouble holding back gas Yes No Current laxative use				
Yes No Trouble starting BM Yes No Fecal leakagetimes/daytimes/week				
Comments:				
Bowel Symptoms				
Frequency of bowel movements:times/day;times/week				
When you have the urge to have a bowel movement, how long can you delay?  Minutes  Hours  Not a				
all				
Bowel movements are typically: Watery Loose Formed Pellets Thin Hard				
If constipation is present, describe management techniques:				
Comments:				
Rate a feeling of organ "falling out"/prolapse or pelvic heaviness/pressure				
None present With standing forminutes orhours				
With exertion or straining With menses				
Pressure at end of the day  Pressure all day				
Comments:				

Sexual History								
Yes No	Sexually activ	ve	☐ Y	es	No	Pain with initial entry		
Yes No					Yes No Pain with deep thrust			
If Yes,	☐Yes ☐No	with tampon (females)	•			Bleeding with or following intercourse		
	Yes No	with speculum(females)	$\square$ Y	es	No	History of sexual abuse		
	Yes No	Pain w/erection(males)	Con	nm	ents:			
	☐Yes ☐No	Pain w/ejaculation	7					
		(males)						
<b>Activities t</b>	hat cause or	aggravate any of you	r bla	ado	der/bo	wel symptoms or pain (check all		
that apply)						•		
Sitting gre	ater thanr	ninutes			Laughii	ng/yelling		
Walking g	reater than	_minutes			Lifting/	bending		
Standing g	reater than	_minutes			Cold w	eather		
Changing	positions (sit to	stand)			Trigger	s (key in the door/running the water)		
	rity (light house				Nervou	sness/anxiety		
☐Vigorous a	activity/exercise	e (run, weight lift, jump)	Sleeping					
Sexual activity					No activity affects the problem			
Cough/sne	eze/straining							
Comments:								
D1 1'	1. (XXII 1.		. 0)					
Please list your	goais. (What do yo	ou want this treatment to do for	you?)_					
Please list your current medications:								
What previous treatments or tests have you had:								
•								

## **Patient History Form**

Patient Name	Date

Medical	History
---------	---------

iviedical History		
	Criticut bast	Cnueut, baet
High Blood Pressure Heart Attack Congestive heart failure Pacemaker Raynaud's Asthma COPD Stroke Vertigo/Dizziness Seizures Migraines Thyroid Disease Diabetes Kidney Disease Herpes Shingles IBS Psoriasis Eczema Open sores Rash	Current Past	Fracture Rheumatoid arthritis Osteoarthritis Gout Neuropathy Parkinson's Alzheimer's MS Fibromyalgia HIV Osteoporosis Liver Disease Hepatitis Reflux Leukemia Bleeding Disorder Constipation Diarrhea Interstitial Cystitis Prostate problems
Cancer (specify right )	O O _	
Auto-Immune Disease		
Have you had any serious	s illness not listed above? N	No O Yes
Do you bruise easily?	Yes O No O	
Surgeries		
Notable family medical h	istory?	

## **Social History**

O'	Meur	وم <sup>وخ</sup>		
Alcohol use		$\supset$	$\bigcirc$	(type and frequency)
Tobacco use		$\sim$	$\bigcirc$	(type and ammount per day)
Have you experienced:				
Anxiety	' (	$\supset$	$\bigcirc$	
Depression	(	$\supset$	$\bigcirc$	
Bipolar	. (	$\overline{\mathcal{C}}$	$\bigcirc$	
Thoughts of wanting to harm yourself or others?	(	$\supset$	$\bigcirc$	
	(e <sup>5</sup>	40		
Do you live alone?	. (	) (	$\bigcirc$	
Do you have good emotional support?	(	$\supset$	$\bigcirc$	
Do you use a seat belt? Always $\bigcirc$ So		Some	times O Never O	
Diet? (Please Rate) Good C Fair Poor C			Poor 🔘	
Any other current life event that may impact therapy? (moving, baby, family death, job change, etc)				